

Driveway Inlet Curb Head Replacement Policy for the City of Manitowoc

Effective January 1, 2014 the City of Manitowoc has established a policy regarding the need to replace existing standard 6 inch high inlet curb heads when a new driveway is being installed where an existing inlet is located.

This will only apply where a (2' X 3') R-3067 inlet frame exists. These R-3067 inlet frames are usually found on the newer streets. These driveway curb plates described herein will **NOT** work on any smaller or larger inlets.

The Department of Public Infrastructure has some driveway curb plates in stock. These were bought so the department did not have to spend time welding steel plates on inlet frames as per past practice. These were also procured so contractors are not sawing and busting out paved streets in order to replace the entire inlet frame.

When needed by a contractor to switch out an existing inlet curb head for a new driveway plate, the contractor may purchase the driveway plate from the Department of Public Infrastructure. The current purchase price for the plate is \$100 more than current market rate.

The contractor can only obtain the driveway plate for a driveway within a City of Manitowoc street. No driveway curb plates will be sold to a contractor for private property use.

The contractor can purchase the curb plates during normal work hours 7am – 3pm at the Department of Public Infrastructure located at 2655 South 35th Street.

The contractor needing the curb plate has to bring in the existing inlet head prior to obtaining a new curb plate.

The contractor pays for the new curb plate upon pickup. No billing or exchanges shall occur.

The contractor shall install the new curb plate and supply his own bolts. The Department of Public Infrastructure will not install.




Drafted by SAH
3/26/2014

Approved by: _____

3067-7000 Heavy Duty Driveway Curb Plate

R-3067 Combination Inlet Frame, Grate, Curb Box

Heavy Duty



CATALOG NUMBER	GRATE TYPE	SQ. FT. OPEN	WEIR PERIMETER LINEAL FEET
R-3067	R	2.0	5.8
R-3067	C	1.6	5.8
R-3067	L	2.1	5.8

Standard Grate (shown): Type R-diagonal
Alternate Grate(s):



Type C



Type L



Type A

Old policy

Driveway Inlet Curb Head Replacement Policy for the City of Manitowoc

Effective January 1, 2014 the City of Manitowoc has established a policy regarding the need to replace existing standard 6 inch high inlet curb heads when a new driveway is being installed where an existing inlet is located.

This will only apply where a (2' X 3') R-3067 inlet frame exists. These R-3067 inlet frames are usually found on the newer streets. These driveway curb plates will **NOT** work on any smaller or larger inlets.

The Department of Public Infrastructure has some driveway curb plates in stock. These were bought so the department did not have to spend time welding steel plates on inlet frames as per past practice. These were also bought so contractors are not sawing and busting out paved streets in order to replace the entire inlet frame.

When needed by a contractor to switch out an existing inlet curb head for a new driveway plate, the contractor may purchase the driveway plate from the Department of Public Infrastructure. The current purchase price for the plate is \$200.

Costs for this have more than doubled in cost

207 + shipping \$210

\$100 more than current market Rate

The contractor can only obtain the driveway plate for a driveway within a City of Manitowoc street. No driveway curb plates will be sold to a contractor for private property use.

The contractor can purchase the curb plates during normal work hours at the Department of Public Infrastructure located at 2655 South 35th Street.

The contractor needing the curb plate has to bring in the existing inlet head prior to obtaining a new curb plate.

The contractor pays for the new curb plate upon pickup. No billing shall occur.

The contractor shall install the new curb plate and supply his own bolts. The Department of Public Infrastructure will not install.