

QUOTE TABULATIONS

FOR

CRUSHED RECYCLED CONCRETE

CITY OF MANITOWOC PROJECT NO. QM-20-6

QUOTES RECEIVED: SEPTEMBER 16, 2020

BIDDER

NO. 1 VINTON CONSTRUCTION 14,837 TONS \$3.37/TON
 NO. 2 BUTEYN-PETERSON 11,135 TONS \$4.49/TON
 NO. 3 MICHELS CORPORATION 10,752.69 TONS \$4.65/TON

BIDDER		VINTON CONSTRUCTION			BUTEYN-PETERSON			MICHELS CORPORATION		
ITEM NO.	DESCRIPTION	BID QTY	UNIT PRICE	TOTAL	BID QTY	UNIT PRICE	TOTAL	BID QTY	UNIT PRICE	TOTAL
1	CRUSHING OF RECYCLED CONCRETE 3/4" AGGREGATE	TN								
		14,837	\$3.37	\$50,000.69	11,135	\$4.49	\$49,996.15	10,752.69	\$4.65	\$50,000.01

*Recommend Awarding to
Vinton Construction
9-18-2020*

DETAILED SPECIFICATIONS

2020

(#QM-20-6) CITY OF MANITOWOC'S
 CRUSH RECYCLED CONCRETE, FURNISHED BY CITY OF
 MANITOWOC AND AVAILABLE FOR CRUSHING AT THE CITY GRAVEL
 PIT LOCATED ON HECKER ROAD FOR THE CITY OF MANITOWOC
 DEPARTMENT OF PUBLIC INFRASTRUCTURE

		COMPLY	
		YES	NO
1.0	SCOPE OF WORK		
1.01	All materials crushed shall be in accordance with the State of Wisconsin Department of Transportation's "Standard Specifications for Highway and Structure Construction," Latest Edition, refer to Section 300.	X	
2.0	MATERIALS, WORKMANSHIP & QUALITY ASSURANCE		
2.01	Materials to be free of contaminants, wire, debris and other foreign materials. The newly crushed material shall be placed upon the existing stockpiled gravel areas, unless directed otherwise by the City. Such materials to be disposed of by the Contractor.	X	
3.0	COMPLETION DATE		
3.01	Project to be completed on or before December 31, 2020. Work shall be completed within 45 days from the start date of the work. Failure to complete work in the time frame described above shall result in a penalty of \$100 per day until completion to be paid by Contractor to The City of Manitowoc.	X	

ALL COSTS INCURRED TO CRUSH RECYCLED CONCRETE AND PRODUCE:

10,752.69 TONS OF ¾" AGGREGATE X \$ \$4.65 (PRICE PER TON) = \$50,000.00

SIGNED 
(AUTHORIZED SIGNATURE)

BY MICHELS CORPORATION
(NAME OF COMPANY SUBMITTING PROPOSAL)

DATED September 16, 2020

QUOTER ACKNOWLEDGES RECEIPT OF ADDENDUM NO _____, IF ANY

QUOTATION FOR: (#QM-20-6) CRUSH RECYCLED CONCRETE, FURNISHED BY THE CITY OF MANITOWOC AND AVAILABLE FOR CRUSHING AT THE CITY GRAVEL PIT LOCATED ON HECKER ROAD FOR THE CITY OF MANITOWOC DEPARTMENT OF PUBLIC INFRASTRUCTURE

QUOTATION DUE: 4:00 P.M., WEDNESDAY, SEPTEMBER 16, 2020

DETAILED SPECIFICATIONS


2020

(#QM-20-6) CITY OF MANITOWOC'S
**CRUSH RECYCLED CONCRETE, FURNISHED BY CITY OF
 MANITOWOC AND AVAILABLE FOR CRUSHING AT THE CITY GRAVEL
 PIT LOCATED ON HECKER ROAD FOR THE CITY OF MANITOWOC
 DEPARTMENT OF PUBLIC INFRASTRUCTURE**

		COMPLY	
		YES	NO
1.0	SCOPE OF WORK		
1.01	All materials crushed shall be in accordance with the State of Wisconsin Department of Transportation's "Standard Specifications for Highway and Structure Construction," Latest Edition, refer to Section 300.	X	
2.0	MATERIALS, WORKMANSHIP & QUALITY ASSURANCE		
2.01	Materials to be free of contaminants, wire, debris and other foreign materials. The newly crushed material shall be placed upon the existing stockpiled gravel areas, unless directed otherwise by the City. Such materials to be disposed of by the Contractor.	X	
3.0	COMPLETION DATE		
3.01	Project to be completed on or before December 31, 2020. Work shall be completed within 45 days from the start date of the work. Failure to complete work in the time frame described above shall result in a penalty of \$100 per day until completion to be paid by Contractor to The City of Manitowoc.	X	

ALL COSTS INCURRED TO CRUSH RECYCLED CONCRETE AND PRODUCE:

11,135 TONS OF ¾" AGGREGATE X \$ 4.49 (PRICE PER TON) = \$50,000.00

SIGNED 
(AUTHORIZED SIGNATURE)

BY Buteyn-Peterson
(NAME OF COMPANY SUBMITTING PROPOSAL)

DATED 9-16-20

QUOTER ACKNOWLEDGES RECEIPT OF ADDENDUM NO _____, IF ANY

QUOTATION FOR: (#QM-20-6) CRUSH RECYCLED CONCRETE, FURNISHED BY THE CITY OF MANITOWOC AND AVAILABLE FOR CRUSHING AT THE CITY GRAVEL PIT LOCATED ON HECKER ROAD FOR THE CITY OF MANITOWOC DEPARTMENT OF PUBLIC INFRASTRUCTURE

QUOTATION DUE: 4:00 P.M., WEDNESDAY, SEPTEMBER 16, 2020



CITY OF MANITOWOC

WISCONSIN, USA
www.manitowoc.org



September 4, 2020



BUTEYN-PETERSON CONSTRUCTION CO INC
N7337 DAIRYLAND DR
SHEBOYGAN WI 53083

RE: Invitation to Quote


To Whom It May Concern:

Enclosed is our invitation to quote on crushing recycled concrete, furnished by the City of Manitowoc and available for crushing at the City gravel pit located on Hecker Road. The quote is to produce ¾" aggregate for the City of Manitowoc Department of Public Infrastructure. (QM-20-6)

If you wish to quote, please return your quotation to the City Clerk's Office at City Hall by 4:00 P.M. on Wednesday, September 16, 2020.

For further information or any questions regarding the quotation, please contact the Operations Manager at the Department of Public Infrastructure at (920)686-6550.

Sincerely,



Dan Koski, P.E.
Director of Public Infrastructure

Enclosure





City of MANITOWOC, WISCONSIN

ENGINEERING DEPT
DAN KOSKI, P.E.
DIRECTOR OF PUBLIC INFRASTRUCTURE
(920) 686-6910 www.manitowoc.org

QUOTATION #QM-20-6

CRUSH RECYCLED CONCRETE, FURNISHED BY THE CITY OF MANITOWOC AND AVAILABLE FOR CRUSHING AT THE CITY GRAVEL PIT LOCATED ON HECKER ROAD FOR THE DEPARTMENT OF PUBLIC INFRASTRUCTURE

INSTRUCTION TO QUOTERS

Sealed Quotations will be received by the Board of Public Infrastructure of the City of Manitowoc, Wisconsin, at the office of the City Clerk in the City Hall, until 4:00 p.m., Wednesday, September 16, 2020, to crush recycled concrete, furnished by the City of Manitowoc and available for crushing at the City Gravel Pit located on Hecker Road. The quote is to produce 3/4" Tons of Aggregate for the City of Manitowoc Department of Public Infrastructure.

Each proposal shall be submitted in a sealed envelope plainly marked to indicate that it is a quote on the above work to be performed. All quoters must fill in the column entitled "Requirements of Work Quoted". Failure to comply with this requirement may render the quote invalid or incomplete. Also, any deviation from the specifications must be clearly shown under this same section. If there is not ample room in this section, an attached sheet of paper clearly referenced must be attached to this quotation sheet.

Included with each quote shall be detailed specifications and descriptive information covering the work to be performed, to give City Officials a complete understanding of what each quote includes. Failure to provide detailed specifications and descriptive information may also result in rendering the quote invalid.

The right to reject any or all quotes or waive any irregularity or informality is reserved by the City.

It is the intention of this request for proposals that the proposal shall be the base proposal for the work to be quoted on without any strings attached as to payment of same. Any deviation from this shall disqualify the proposal.

The Quoter shall familiarize themselves with the approval procedures of the Engineer and the paying procedures of the Owner and submit applications for payment to the Engineer for his approval as payments become due.

All municipal purchases are Federal and State tax exempt. Tax shall not be included in the quoted price.

The successful Contractor shall coordinate the Work and Work Dates with the Department of Public Infrastructure due to other activities happening at the site.

After operations have begun, the Contractor shall meet on site with the Interim Operations Manager from the Department of Public Infrastructure or their representative to examine the crushed material and assure its suitability.

For further information or if you have any questions regarding these specifications, please contact Billy Hutterer, Interim Operations Manager, at the Department of Public Infrastructure, 2655 South 35th Street, Manitowoc, Wisconsin, 54220 or call (920) 686-6550 between 7:00 a.m. and 3:00 p.m.

**DETAILED SPECIFICATIONS
2020**

**(#QM-20-6) CITY OF MANITOWOC'S
CRUSH RECYCLED CONCRETE, FURNISHED BY CITY OF
MANITOWOC AND AVAILABLE FOR CRUSHING AT THE CITY GRAVEL
PIT LOCATED ON HECKER ROAD FOR THE CITY OF MANITOWOC
DEPARTMENT OF PUBLIC INFRASTRUCTURE**

COMPLY	
YES	NO

1.0 SCOPE OF WORK			
1.01	All materials crushed shall be in accordance with the State of Wisconsin Department of Transportation's "Standard Specifications for Highway and Structure Construction," Latest Edition, refer to Section 300.	X	
2.0 MATERIALS, WORKMANSHIP & QUALITY ASSURANCE			
2.01	Materials to be free of contaminants, wire, debris and other foreign materials. The newly crushed material shall be placed upon the existing stockpiled gravel areas, unless directed otherwise by the City. Such materials to be disposed of by the Contractor.	See Attached Note	
3.0 COMPLETION DATE			
3.01	Project to be completed on or before December 31, 2020. Work shall be completed within 45 days from the start date of the work. Failure to complete work in the time frame described above shall result in a penalty of \$100 per day until completion to be paid by Contractor to The City of Manitowoc.	X	

ALL COSTS INCURRED TO CRUSH RECYCLED CONCRETE AND PRODUCE:

14,837 TONS OF ¾" AGGREGATE X \$ 3.37 (PRICE PER TON) = \$50,000.00

SIGNED

(Handwritten Signature)
(AUTHORIZED SIGNATURE)

Michael J. Maples, President

BY

Vinton Construction Company

(NAME OF COMPANY SUBMITTING PROPOSAL)



DATED September 16th, 2020

QUOTER ACKNOWLEDGES RECEIPT OF ADDENDUM NO None, IF ANY

QUOTATION FOR:

(#QM-20-6) CRUSH RECYCLED CONCRETE, FURNISHED BY THE CITY OF MANITOWOC AND AVAILABLE FOR CRUSHING AT THE CITY GRAVEL PIT LOCATED ON HECKER ROAD FOR THE CITY OF MANITOWOC DEPARTMENT OF PUBLIC INFRASTRUCTURE

QUOTATION DUE:

4:00 P.M., WEDNESDAY, SEPTEMBER 16, 2020



VINTON CONSTRUCTION COMPANY...Road Contractors

An Equal Opportunity Employer

2705 N. Rapids Road, PO Box 1987, Manitowoc, WI 54221-1987

Two Rivers Office: 1322 33rd Street, PO Box 137, Two Rivers, WI 54241-0137

Office 920-682-0375 Fax 920-682-2838

September 16th, 2020

City of Manitowoc – Engineering Department
900 Quay Street
Manitowoc, WI 54220

Attention: Dan Koski

RE: Quotation #QM-20-6
Crush Recycled Concrete
City of Manitowoc

Quote to crush recycled concrete includes the following items:

- Vinton Construction Company will crush existing concrete stockpile into ¾" base aggregate dense per the current WisDOT specification 305.
- Newly crushed material to be placed on the existing gravel stockpile.
- Uncrushable material will be sorted out and stockpiled for disposal by others.
- One (1) mobilization included to the site.
- Vinton Construction Company will not add contaminants, wire, debris or foreign materials while crushing. If the above mentioned materials exist in the stockpile, we will attempt to sort out and stockpile any of those types of materials if feasible. VCC cannot guarantee the final crushed product will be free of the above noted materials if they existed in the pile prior to our arrival. Any stockpiled contaminants, debris or foreign material to be disposed of by others.