



---

## GUIDE TO THE QUIET ZONE ESTABLISHMENT PROCESS

---

AN INFORMATION GUIDE

**Federal Railroad Administration**  
1200 New Jersey Avenue S.E.  
Washington, DC 20590  
Telephone: 202-493-6299  
[www.fra.dot.gov](http://www.fra.dot.gov)

**Federal Railroad Administration**  
Highway-Rail Crossing and Trespasser Programs Division  
Follow FRA on [Facebook](#) and [Twitter](#)



## Purpose of the Guide

This brochure was developed to serve as a guide for local decision makers seeking a greater understanding of train horn sounding requirements and how to establish quiet zones. Its purpose is to provide a general overview and thus does not contain every detail about the quiet zone establishment process. For more detailed and authoritative information, the reader is encouraged to review the official regulations governing the use of locomotive horns at public highway-rail grade crossings and the establishment of quiet zones that are contained in 49 CFR Part 222. A copy of the rule can be downloaded or printed at <http://www.fra.dot.gov/eLib/Details/L02809>.

## About Quiet Zones



FRA is committed to reducing the number of collisions at highway-rail grade crossings, while establishing a consistent standard for communities who opt to preserve or enhance quality of life for their residents by establishing quiet zones within which routine use of train horns at crossings is prohibited.

Federal regulation requires that locomotive horns begin sounding 15–20 seconds before entering public highway-rail grade crossings, no more than one-quarter mile in advance. Only a public authority, the governmental entity responsible for traffic control or law enforcement at the crossings, is permitted to create quiet zones.

A quiet zone is a section of a rail line at least one-half mile in length that contains one or more consecutive public highway-rail grade crossings at which locomotive horns are not routinely sounded when trains are approaching the crossings. The prohibited use of train horns at quiet zones only applies to trains when approaching and entering crossings and does not include train horn use within passenger stations or rail yards. Train horns may be sounded in emergency situations or to comply with other railroad or FRA rules even within a quiet zone. Quiet zone regulations also do not eliminate the use of locomotive bells at crossings. Therefore, a more appropriate description of a designated quiet zone would be a “reduced train horn area.”

Communities wishing to establish quiet zones must work through the appropriate public authority that is responsible for traffic control or law enforcement at the crossings.

## Historical Context

Historically, railroads have sounded locomotive horns or whistles in advance of grade crossings and under other circumstances as a universal safety precaution. Some States allowed local communities to create whistle bans where the train horn was not routinely sounded. In other States, communities created whistle bans through informal agreements with railroads.

In the late 1980's, FRA observed a significant increase in nighttime train-vehicle collisions at certain gated highway-rail grade crossings on the Florida East Coast Railway (FEC) at which nighttime whistle bans had been established in accordance with State statute. In 1991, FRA issued Emergency Order #15 requiring trains on the FEC to sound their horns again. The number and rate of collisions at affected crossings returned to pre-whistle ban levels.



In 1994, Congress enacted a law that required FRA to issue a Federal regulation requiring the sounding of locomotive horns at public highway-rail grade crossings. It also gave FRA the ability to provide for exceptions to that requirement by allowing communities under some circumstances to establish "quiet zones."

The Train Horn Rule became effective on June 24, 2005. The rule set nationwide standards for the sounding of train horns at public highway-rail grade crossings. This rule changed the criteria for sounding the horn from distance-based to time-based. It also set limits on the volume of a train horn. The rule also established a process for communities to obtain relief from the routine sounding of train horns by providing criteria for the establishment of quiet zones. Locomotive horns may still be used in the case of an emergency and to comply with Federal regulations or certain railroad rules.



Because the absence of routine horn sounding increases the risk of a crossing collision, a public authority that desires to establish a quiet zone usually will be required to mitigate this additional risk. At a minimum, each public highway–rail crossing within a quiet zone must be equipped with active warning devices: flashing lights, gates, constant warning time devices (except in rare circumstances) and power out indicators.

*In order to create a quiet zone, one of the following conditions must be met*

1. ***The Quiet Zone Risk Index (QZRI) is less than or equal to the Nationwide Significant Risk Threshold (NSRT)*** with or without additional safety measures such as Supplementary Safety Measures (SSMs) or Alternative Safety Measures (ASMs) described below. The QZRI is the average risk for all public highway-rail crossings in the quiet zone, including the additional risk for absence of train horns and any reduction in risk due to the risk mitigation measures. The NSRT is the level of risk calculated annually by averaging the risk at all of the Nation’s public highway-rail grade crossings equipped with flashing lights and gates where train horns are routinely sounded.
2. ***The Quiet Zone Risk Index (QZRI) is less than or equal to the Risk Index With Horns (RIWH)*** with additional safety measures such as SSMs or ASMs. The RIWH is the average risk for all public highway-rail crossings in the proposed quiet zone when locomotive horns are routinely sounded.
3. ***Install SSMs at every public highway-rail crossing.*** This is the best method to reduce to reduce risks in a proposed quiet zone and to enhance safety.


SSMs are pre-approved risk reduction engineering treatments installed at certain public highway-rail crossings within the quiet zone and can help maximize safety benefits and minimize risk. SSMs include: medians or channelization devices, one-way streets with gates, four quadrant gate systems, and temporary or permanent crossing closures. Examples of SSMs are shown on the next page.

ASMs are safety systems, other than SSMs, that are used to reduce risk in a quiet zone. ASMs typically are improvements that do not fully meet the requirements to be SSMs and their risk reduction effectiveness must be submitted in writing and approved by FRA.

FRA strongly recommends that all crossings in the quiet zone be reviewed by a diagnostic team. A diagnostic team typically consists of representatives from the public authority, railroad, and State agency responsible for crossing safety and FRA grade crossing managers.

**Public Safety Considerations continued**

**Examples of SSMs**



**Wayside Horns** The train horn rule also provides another method for reducing the impact of routine locomotive horn sounding when trains approach public highway-rail grade crossings. A wayside horn may be installed at highway-rail grade crossings that have flashing lights, gates, constant warning time devices (except in rare circumstances), and power out indicators. The wayside horn is positioned at the crossing and will sound when the warning devices are activated. The sound is directed down the roadway, which greatly reduces the noise footprint of the audible warning. Use of wayside horns is not the same as establishing a quiet zone although they may be used within quiet zones.

**Cost Considerations**

The enabling Federal statute did not provide funding for the establishment of quiet zones. Public authorities seeking to establish quiet zones should be prepared to finance the installation of SSMs and ASMs used. Costs can vary from \$30,000 per crossing to more than \$1 million depending on the number of crossings and the types of safety improvements required.

**Legal Considerations**

The courts will ultimately determine who will be held liable if a collision occurs at a grade crossing located within a quiet zone, based upon the facts of each case, as a collision may have been caused by factors other than the absence of an audible warning. FRA's rule is intended to remove failure to sound the horn as a cause of action in lawsuits involving collisions that have occurred at grade crossings within duly established quiet zones.



## The Quiet Zone Establishment Process

Under the Train Horn Rule, only public authorities are permitted to establish quiet zones. Citizens who wish to have a quiet zone in their neighborhood should contact their local government to pursue the establishment of a quiet zone. The following is a typical example of the steps taken to establish a quiet zone:

1. **Determine** which crossings will be included in the quiet zone. All public highway-rail crossings in the quiet zone must have, at a minimum, an automatic warning system consisting of flashing lights and gates. The warning systems must be equipped with constant warning time devices (except in rare circumstances) and power out indicators. The length of the quiet zone must be at least one-half mile in length.
2. **Identify** any private highway-rail grade crossings within the proposed quiet zone. If they allow access to the public or provide access to active industrial or commercial sites, a diagnostic review must be conducted and the crossing(s) treated in accordance with the recommendations of the diagnostic team.
3. **Identify** any pedestrian crossings within the proposed quiet zone and conduct a diagnostic review of those crossings too. They also must be treated in accordance with the diagnostic team's recommendations. *NOTE:* While it is not required by the regulations, FRA recommends that every crossing within a proposed quiet zone be reviewed for safety concerns.
4. **Update** the U.S. DOT Crossing Inventory Form to reflect current physical and operating conditions at each public, private, and pedestrian crossing located within a proposed quiet zone.
5. **Provide** a Notice of Intent (NOI) to all of the railroads that operate over crossings in the proposed quiet zone, the State agency responsible for highway safety and the State agency responsible for crossing safety. The NOI must list all of the crossings in the proposed quiet zone and give a brief explanation of the tentative plans for implementing improvements within the quiet zone. Additional required elements of the NOI can be found in 49 CFR 222.43(b). The railroads and State agencies have 60 days in which to provide comments to the public authority on the proposed plan.
6. **Alternative Safety Measures** – If ASMs are going to be used to reduce risk, an application to FRA must be made. The application must include all of the elements provided in 49 CFR 222.39(b)(1) and copies of the application must be sent to the entities listed in 49 CFR 222.39(b)(3). They will have 60 days to provide comments to FRA on the application. FRA will provide a written decision on the application typically within three to four months after it is received.

The Quiet Zone Establishment Process continued

7. **Determine** how the quiet zone will be established using one of the following criteria: (Note that Options 2 through 4 will require the use of the FRA Quiet Zone Calculator available at <http://safetydata.fra.dot.gov/quiet/>.)

1. Every public highway-rail crossing in the proposed quiet zone is equipped with one or more SSMs.
2. The Quiet Zone Risk Index (QZRI) of the proposed quiet zone is less than or equal to the Nationwide Significant Risk Threshold (NSRT) without installing SSMs or ASMs.
3. The QZRI of the proposed quiet zone is less than or equal to the Nationwide Significant Risk Threshold (NSRT) after the installation of SSMs or ASMs.
4. The QZRI of the proposed quiet zone is less than or equal to the Risk Index with Horns (RIWH) after the installation of SSMs or ASMs.



8. **Complete** the installation of SSMs and ASMs and any other required improvements determined by the diagnostic team at all public, private, and pedestrian crossings within the proposed quiet zone.

9. **Ensure** that the required signage at each public, private, and pedestrian crossing is installed in accordance with 49 CFR Sections 222.25, 222.27, and 222.35, and the standards outlined in the Manual on Uniform Traffic Control Devices. These signs may need to be covered until the quiet zone is in effect.

10. **Establish** the quiet zone by providing a Notice of Quiet Zone Establishment to all of the parties that are listed in 49 CFR Section 222.43(a)(3). Be sure to include all of the required contents in the notice as listed in 49 CFR Section 222.43(d). The quiet zone can take effect no earlier than 21 days after the date on which the Notice of Quiet Zone Establishment is mailed.

**\*\*\*Appendix C to the Train Horn Rule provides detailed, step by step guidance on how to create a quiet zone.\*\*\***



**Required Documentation**

Public authorities interested in establishing a quiet zone are required to submit certain documentation during the establishment process. FRA has provided checklists for the various documents that can be found at <http://www.fra.dot.gov/Elib/Details/L03055>.

FRA’s Regional Grade Crossing Managers are available to provide technical assistance. A State’s department of transportation or rail regulatory agency also may be able to provide assistance to communities pursuing quiet zones.

Public authorities are encouraged to consult with the agencies in their State that have responsibility for crossing safety. Some States may have additional administrative or legal requirements that must be met in order to modify a public highway-rail grade crossing.

**Role of Railroads**

Communities seeking to establish a quiet zone are required to send a Notice of Intent and a Notice of Quiet Zone Establishment to railroads operating over the public highway-rail grade crossings within the proposed quiet zone. Railroad officials can provide valuable input during the quiet zone establishment process and should be included on all diagnostic teams. Listed below are links to the Class I Railroads and Amtrak.

<a href="#">BNSF Railway (BNSF)</a>	<a href="#">Canadian Pacific (CP)</a>
<a href="#">CSX Transportation (CSX)</a>	<a href="#">Norfolk Southern (NS)</a>
<a href="#">Canadian National (CN)</a>	<a href="#">Union Pacific (UP)</a>
<a href="#">Kansas City Southern (KCS)</a>	<a href="#">Amtrak (ATK)</a>

**FINAL NOTE**

*The information contained in this brochure is provided as general guidance related to the Quiet Zone Establishment Process and should not be considered as a definitive resource. FRA strongly recommends that any public authority desiring to establish quiet zones take the opportunity to review all aspects of safety along its rail corridor. Particular attention should be given to measures that prevent trespassing on railroad tracks since investments made to establish a quiet zone may be negated if the horn has to be routinely sounded to warn trespassers.*



## POINTS OF CONTACT

### General Questions:

Inga Toye, 202-493-6305  
Debra Chappell, 202-493-6018  
Ron Ries, 202-493-6285

### Regional Contacts

**Region 1** Connecticut, Maine, Massachusetts, New Hampshire, New Jersey,  
New York, Rhode Island, and Vermont  
1-800-724-5991

**Region 2** Delaware, Maryland, Ohio, Pennsylvania, Virginia, West Virginia ,  
and Washington, D.C.  
1-800-724-5992

**Region 3** Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina,  
South Carolina, and Tennessee  
1-800-724-5993

**Region 4** Illinois, Indiana, Michigan, Minnesota, and Wisconsin  
1-800-724-5040

**Region 5** Arkansas, Louisiana, New Mexico, Oklahoma, and Texas  
1-800-724-5995

**Region 6** Colorado, Iowa, Kansas, Missouri, and Nebraska  
1-800-724-5996

**Region 7** Arizona, California, Nevada, and Utah  
1-800-724-5997

**Region 8** Alaska, Idaho, Montana, North Dakota, South Dakota, Oregon,  
Washington, and Wyoming  
1-800-724-5998



## **Rail – Moving America Forward**

The mission of the Federal Railroad Administration is to enable the safe, reliable, and efficient movement of people and goods for a strong America, now and in the future.

### **U.S. Department of Transportation Federal Railroad Administration**

1200 New Jersey Avenue S.E.

Washington, DC 20590

Telephone: 202-493-6299

[www.fra.dot.gov](http://www.fra.dot.gov)

Follow FRA on [Facebook](#) and [Twitter](#)

September 2013