


Capital Project Request Form



Request Type:

Department:

Date:

Title of Request:

Department Priority

Linked to another project?
 Yes
 No

Project Request is: New
 Replacement
 Modification

Estimated Useful Life:

This is a limited field, please attach documents for more detail.

Description:

Basis of Cost: Quote
 Bid
 Estimate

Total Cost

Revenue (if any)

Net Cost

Will there be additional costs in future years to complete this project?

select one: Yes
 No

If yes, amount?

Finance Dept: Account

Sent to Dept:

Action:

MANITOWOC POLICE DEPARTMENT**PURCHASE ORDER**

910 JAY ST
MANITOWOC WI 54220-4522
PHONE (920) 686-6589 FAX (920) 686-6588


DATE: JULY 9, 2015

TO:
BADGER OFFICE CITY
ATTENTION – BRUCE SENGBUSCH
4716 Expo Dr.
MANITOWOC WI 54220

DESCRIPTION	QUANTITY	RATE	AMOUNT
Destroyit 4002cc, Cross Cut 3/16"x1 1/2" The above listed price includes: FREE – 100 bags FREE – 1 case of Oil FREE - Shipping			\$2,246.94
		TOTAL	\$2,246.94

DESTROYIT® 4002

Heavy duty, 1 3/4 horsepower motor makes it a perfect fit for continuous, high volume shredding environments. Cross-cut models are equipped with an automatic oiler.



Security level P-2	6 mm strip-cut (1/4 inch)
Sheet capacity:	32-35*

Security level P-4	4 x 40 mm cross-cut (3/16 x 1 1/2 inches)
Sheet capacity:	24-26*

Security level P-5	2 x 15 mm cross-cut (3/32 x 5/8 inches)
Sheet capacity:	14-16*

*Certified using 8 1/2" x 11" 20 lb. bond and recommended power supply.

Comprehensive SPS safety package: Easy Switch control element uses illuminated color codes and symbols to indicate operational status and functions as an emergency stop switch; patented, electronically controlled, transparent safety shield in the feed opening; automatic power cut-off when cabinet is opened or shred bin is full; automatic reverse and power cut-off when overfed; double protection against overheating; Zero Energy Consumption sleep mode cuts off power supply after 30 minutes of inactivity.

Automatic start and stop controlled by photo cell. Patented Electronic Capacity Control (ECC) indicator prevents jams by monitoring sheet capacity levels during operation. Automatic oil injection ensures optimal performance at all times (cross-cut models). High quality, hardened steel cutting shafts take staples, paper clips, credit cards, and CDs / DVDs. Lifetime warranty on the cutting shafts. Quiet and powerful single phase motor rated for continuous operation. Sturdy Twin Drive System with fully enclosed gear box housing. High quality wooden cabinet mounted on casters. Convenient, environmentally friendly shred bin does not require disposable shred bags.

Specifications

Shred volume, gallons	44
Feed opening, inches	16
Electrical requirements, volts	115
Maximum horsepower	1 3/4
Dimensions [D x W x H], inches	23 1/4 x 25 1/4 x 38 1/4
Shipping weight, pounds	239 [sc], 240 [cc]

WWW.MBMCORP.COM
TEL: 800-223-2508

WWW.IDEAL-MBM.COM
TEL: 800-387-2528



Approve up to 2,250

As unBudgeted Request

Aye

Nay

X

Togel IB

AB

CCPS

gw