Capital Project Request Form



Request Type:	Unbudgeted					
Department: Title of Request:	DPI - Parks Date: 12/03/2018 Plow for new Enterprise Parks Truck					
Department Priority Linked to another project?	Critical Yes No					
Project Request is:	New Estimated Useful Life: Replacement Modification					
This is a limited field, please a	attach documents for more detail.					
Description:	Enterprise vehicle did not come equipped with a plow.					
Basis of Cost:	Quote Total Cost \$7,250.00BidEstimate					
Revenue (if any)	\$0.00 Net Cost \$7,250.00					
Will there be addition	al costs in future years to complete this project?					
select one:	○ Yes If yes, amount?⑤ No					
Finance Dept: Account Action:	Sent to Dept: DPI					

Porchase Unbedged Pland & Exprise truck Up to 7,750

AFE Non



Monroe Truck Equipment 1151 W Main Avenue DePere, WI 54115

Ph./Fax: 920-347-4189/920-336-8118

www.MonroeTruck.com



QUOTATION #2CHK000215

Job Order#:

Quote Date:

11/19/2018

Quote valid until:

12/19/2018

Terms: NET 30

Salesperson: REDFEARN, TROY (MUNI)

Quoted by: Clayton Kraft

Email: ckraft@monroetruck.com

Customer:	MANITON	VOC, CITY OF	(STREET DP)	Contact:				Dealer Cod	e:
7,107,17,100,000 P	900 QUAY			-	920-683-4561	Fax:	920-683-4578	Sourcewell Member	#:
	1000	VOC, WI 542	20	Email:				P.O. Numbe	
	Ro-Assign	(Required fo	wall nool un	its):	tetail				
		West Control of the Control		quired):			AL W. Seesen	Comment of the	a v ma
Accepted by	'i						Date:		_
	Custom	er must fill o	ut all inforn	nation above before	the order can be	process	red.		
Cl!-16									
Chassis Info Year: 2019		Make: CHE	VROLET	Model: SILVERADO	2500	1	Chassis Color:	Cab Type	: REGULAR
Single/Dua	I: SRW	CA: 56.0	CT: -1.0	Wheelbase: 134.0	Engine: GAS		F.O. Number #:	Vin:	
Description BOSS 8'2" V-X - SMARTHITO - SMARTTOU - SL3 L.E.D. LI - SMARTSHIE - SMARTCOC - 1/2" X 6" HI - HIGH-PERFO - ENCLOSED I - CHAINLESS - FULL MOLD - REINFORCE - HEAVY-DUT - INSTALLED - TWO-YEAR	CH 2 CH 2 CONTI GHTING W LLD K CYLINDER GH-PERFOI ORMANCE H HYDRAULIC HYDRAULIC BOARD TRI D MOLDBO Y PUSH FR	/ ICE SHIELD RS RMANCE CUT HYDRAULIC P S C CYLINDER I P DESIGN ARD WITH FI AME	TING EDGE ACKAGE LIFTING SYST	ем				Amou	
4800 FGAV	WR REQUIR	ED ON GAS R	EG CAB						
4800 FGAV	WR REQUIR	ED ON GAS D	BL CAB						
5200 FGAV	WR REQUIR	ED ON GAS C	REW CAB				(Quote Total: \$6,726.0	10
Additional O	ptions:								
Description CAST-IRON P	LOW SHOE	S		green and				Amour \$111.0	
RUBBER SNO	W DEFLEC	TOR						\$392.0	00 Yes / No
BOSS, BUMPE	ER TRIM KI	T CHEVY 250	0/3500 2015	& NEWER				\$269.0	00 Yes / No

Notes:

- ♦ Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- ♦ Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis.
- ♦ State and Federal taxes will be added where applicable. Out-of-state municipal entities may be subject to Wisconsin sales tax.
- · Restocking fees may be applicable for cancelled orders.
- MTE is not responsible or liable for equipment that does not meet local/state regulations if those laws are not made known at time of order.



Appleton 700 Randolph Drive Appleton, WI 54913 Phone: (920) 687-1111 Fax: (920) 687-1122

Milwaukee 12655 W. Silver Spring Rd Butler, WI 53007 Phone: (262) 544-5404 Fax: (800) 261-0383

Wausau 5300 Stewart Ave Wausau, WI 54401 Phone: (715) 298-4288 Fax: (800) 261-0383

Account:	City of Manitowoc	Date:	11/20/18
Name:	Jeremy Walvoord (JJ)	Email:	jwalvoord@manitowoc.org
Address:	2655 S. 35 th St.	Phone:	(920) 686-6513
	Manitowoc, WI 54220	Note:	'19 Chevy 2500 4x4

** Sales Quotation **

1. Western 8'6" MVP3 Steel V-Plow

- Blade height 31" at hinge, 38" at ends. Blade width straight 8 ½', V-position 7' 8", blade width in scoop 7' 2", blade width at full angle 7' 5"
- 14 ga. steel blade
- C. 8 vertical ribs
- D. Approximate weight is 940 lbs less truck mount
- Heavy duty trip cutting edges. Each side able to trip independent of one another, even in V or scoop position
- Bolt on cutting edge is 3/8" x 6" (high carbon steel)
- 1 1/2" x 11" double acting cylinders for wing scoop and V, eliminates wings folding back when dragging.
- Ultra mount 2 system: Easy quick latch handles H.
- A rotating pivot bar allows the drive in points to remain level even when the blade is on uneven terrain. You get accurate drive in alignment always and a blade that can pivot when plowing for a cleaner scrape on uneven ground
- Removable receiver brackets are easily removed for maximum ground clearance
- One piece lift frame for added strength and durability, along with 1 1/4" heat treated steel center hinge pin
- Heavy duty T-frame design, two (2) bolts per side adjust blade pitch to reduce uneven cutting edge wear
- Isolation module protects vehicle electrical system
- Deluxe hand held cab command controls LED backlit for easy operation in low light
- Low profile, dual beam "Nighthawk" halogen headlamps with combination park / turn signal lights. Vehicle light switch activates lights, no separate in-cab switch needed
- Blade guides with replaceable flags for improved operator visibility and blade positioning
- Q. Ultra finish: Climate controlled powder-coat
- Rubber snow deflector
- S. Shoes
- T. Installed

Total: \$ 6,365.00

SnowEx HDV 8-1/2' V-Plow Mild Steel

- Blade Width: 8'6"
- Blade Height: 31" at hinge/38" at end
- C. Flared moldboard
- D. Integrated snow catcher at center of plow
- Angle Cylinders: 1-3/4"
- F. Plowing width (straight): 102"
- Plowing width (full angle): 90" G.
- Approximate weight: 972 lbs.
- Cutting Edge: 3/8" x 6" I.
- Blade/Wing thickness: 16ga. J.
- Reinforcement Ribs: 6 vertical / 1 angle
- Trips springs: 4 steel
- M. Rubber snow deflector
- N. Shoes

755	ľo	tal	: 5	6,4	80,	UU	

O. Histarieu			Total: \$ 6,480.00		
Submitted by:	Tad Ryder	All Sales Tax and FET Tax will be ad Quote firm 30 days	lded Terms: 30 days		
•		gree that I have read, understood, and will co			
		accepted by:			
Γitle:		Date Accepted:	PO#		
	Thank Y	ou for the opportunity to submit our quote fo	or your consideration		