

18-1110

Capital Project Request Form

Request Type: Department: Date: Title of Request: Department Priority Linked to another project?
☐ Yes
☒ NoProject Request is: ☒ New
☐ Replacement
☐ ModificationEstimated Useful Life:

This is a limited field, please attach documents for more detail.

Description: Basis of Cost: ☒ Quote ☐ Bid ☐ Estimate
Total Cost Revenue (if any) Net Cost

Will there be additional costs in future years to complete this project?

select one: ☐ Yes ☒ No
If yes, amount? Finance Dept: Account Sent to Dept: ☐Action:

Approve Up to \$ 18,647.00
~~13,327.00~~

to correct Ponding on Memorial Drive
Near West of the Lake Geneva

A, E	N, E
	SL
	TMB
	WJR
	HA
	JOH
	WJR

Recommend Savings \$10K by waiting until 2019
4 part-time work w/cit, crews. Will be done within
2019 Budget for Street Budget

A, E	N, E
SL	
TMB	
WJR	
HA	
JOH	

WJR



CITY OF MANITOWOC

WISCONSIN, USA
www.manitowoc.org



October 18, 2018

To: CAWG
From: Greg Minkel

RE: Ponding on Memorial Drive By West of the Lake Gardens

We received a request to repair Memorial Drive by West of the Lake Gardens due to water ponding when it rains. This was taken to the PI Committee. They discussed it and would like it to be addressed this year. They asked if it could be done by Streets crews if at all possible. Streets crews would not be able to do this work during normal hours because of other work so if it is done this year it would be on overtime on the weekend.

The committee asked us to get pricing and funding and bring it back to them for the November meeting.

Thank you.



Karen Dorow

From: Greg Minikel
Sent: Thursday, October 18, 2018 10:42 AM
To: Karen Dorow
Subject: FW: Memorial Drive puddle
Attachments: WESTLAKE_PUDDLE.jpg; MEMORAIL_PUDDLE_2.pdf; MEMORAIL_PUDDLE_1.pdf

FYI:

From: Paul Steinbrecher [<mailto:paul@smimanitowoc.comcastbiz.net>]
Sent: Tuesday, September 04, 2018 9:30 AM
To: Marc Holsen; Greg Minikel
Cc: Don Cisler
Subject: Memorial Drive puddle

Marc and Greg

I'm working with West of the Lake on a new parking lot. They asked me to contact you about a puddle on Memorial Drive. I don't know whose responsibility this is. The puddle is on the easterly side of the road about half way between Reed and Magnolia. After rain storms there is close to 4" of water in the puddle and the puddle extends out to the center of the 2 northbound lanes. Splash from the puddle covers the Mariners Trail and into the property of West of the Lake. There is enough splash to send the cold mix from patching onto the trail. There are no inlets near the puddle. There is a storm manhole behind the curb about 30' south of the puddle.

Paul M. Steinbrecher, PE, PLS
SMI
102 Revere Drive
Manitowoc WI 54220
920-684-5583 ext. 102 Cell 920-374-0379
www.smimanitowoc.com

Karen Dorow

From: Chad Scheinoha
Sent: Thursday, October 18, 2018 9:53 AM
To: Greg Minikel
Cc: Dan Koski; Mike Zimmer; Karen Dorow
Subject: RE: Message from "RNP002673A0BB9E"

Greg,

Here is our estimate to do this work. Overtime rates apply. Estimate includes all labor, equipment, and materials for entire project. We would work a Saturday to do it if it has to be done this fall, but spring would be MUCH better. I really don't want to make a habit out of working OT to install new infrastructure. If this is the route that things may go in the future we will need to make a push to hire another additional crew for sewer work. I know you don't control that, but just wanted to throw it out there.

Sewer -	\$4,500.00
Concrete Pavement -	\$3,485.00
Curb and Gutter -	\$2,080.00
Asphalt Pavement -	\$1,662.00
Landscaping -	\$400.00
Misc. -	\$1,200.00
 Total -	 \$13,327.00

Chad J. Scheinoha
City of Manitowoc, Dept. of Public Infrastructure Operations Division Manager Mobile (920)374-0402 Office (920)686-6512 www.manitowoc.org

-----Original Message-----

From: Greg Minikel
Sent: Thursday, October 11, 2018 5:02 PM
To: Dan Koski; Mike Zimmer; Karen Dorow; Chad Scheinoha
Subject: FW: Message from "RNP002673A0BB9E"

Revised Proposal.

-----Original Message-----

From: Kip Gulseth [<mailto:kipgulseth@comcast.net>]
Sent: Thursday, October 11, 2018 4:32 PM
To: Greg Minikel
Subject: FW: Message from "RNP002673A0BB9E"

-----Original Message-----

From: kipgulseth@comcast.net [<mailto:kipgulseth@comcast.net>]
Sent: Thursday, October 11, 2018 4:17 PM
To: Kip

Y:\Projects\Class I Notices\2018\Storm Sewer Proposal for Memorial Dr. @ West of the Lake
Rev. 10/5/18 G.J.M.

" P R O P O S A L "

f o r

S T O R M S E W E R S

CITY OF MANITOWOC PROJECT NO. WU-


ITEM DESCRIPTION	UNITS	BID QUANTITY	UNIT PRICE	TOTAL
Mobilization	LS	1	500. ⁰⁰	500. ⁰⁰
Traffic Control	LS	1	500. ⁰⁰	500. ⁰⁰
8" Storm Sewer PVC (SDR-35)	LF	45	66. ⁰⁰	2,970. ⁰⁰
Type 3 Inlet	EA	1	925. ⁰⁰	925. ⁰⁰
Type H Casting (R-3067-R), Diagonal	EA	1	425. ⁰⁰	425. ⁰⁰
30" Concrete Curb & Gutter (Rem. & Repl.)	LF	80	56. ³¹	4,504. ⁸⁰
9" Concrete Base Course (Rem. & Repl.)	SY	47	112. ⁰⁰	5,264. ⁰⁰
3" HMA Pavement (Rem. & Repl.)	SY	47	68. ⁰⁷	3,199. ²⁹
3" Topsoil, Seed & E-Mat	SY	45	7. ⁷⁷	349. ⁶⁵
TOTAL PROJECT COST			18,007. ⁰⁰	

Contractor:

Printed Name:

Signature:

Date:

Kip Gubeln Const.
Kip Gubeln

10-11-18

Y:\Projects\Class I Notices\2018\Storm Sewer Proposal for Memorial Dr. @ West of the Lake
Rev. 10/5/18 G.J.M.

" P R O P O S A L "

f o r

S T O R M S E W E R S

CITY OF MANITOWOC PROJECT NO. .WU-

ITEM DESCRIPTION	UNITS	BID QUANTITY	UNIT PRICE	TOTAL
Mobilization	LS	1	\$5,185.00	\$5,185.00
Traffic Control	LS	1	\$1,300.00	\$1,300.00
8" Storm Sewer PVC (SDR-35)	LF	45	\$80.50	\$3,622.50
Type 3 Inlet	EA	1	\$1,900.00	\$1,900.00
Type H Casting (R-3067-R), Diagonal	EA	1	\$580.00	\$580.00
30" Concrete Curb & Gutter (Rem. & Repl.)	LF	80	\$54.00	\$4,320.00
9" Concrete Base Course (Rem. & Repl.)	SY	47	\$98.00	\$4,606.00
3" HMA Pavement (Rem. & Repl.)	SY	47	\$95.27	\$4,477.69
3" Topsoil, Seed & E-Mat	SY	45	\$28.33	\$1,274.85
TOTAL PROJECT COST			\$27,266.04	
* Add \$300 if Bond Required or for Change Order				

Contractor: Vinton Construction Company

Printed Name: Ronald Raboine, P.E.

Signature: 

Date: 10/11/2018

.M