


Capital Project Request Form



Request Type:

Department:

Date:

Title of Request:

Department Priority

Linked to another project?
☐ Yes
☒ No

Project Request is: ☒ New

Estimated Useful Life:

☐ Replacement

☐ Modification

This is a limited field, please attach documents for more detail.

Description:

Basis of Cost: ☒ Quote

Total Cost

☐ Bid

☐ Estimate

Revenue (if any)

Net Cost

Will there be additional costs in future years to complete this project?

select one: ☐ Yes

If yes, amount?

☒ No

Finance Dept: Account

Sent to Dept: ☐

Action:

Capital Project Request Form



Request Type:

Department: Date:

Title of Request:

Department Priority

Linked to another project?
☐ Yes
☒ No

Project Request is: ☒ New Estimated Useful Life:
☐ Replacement
☐ Modification

This is a limited field, please attach documents for more detail.

Description:

Basis of Cost: ☒ Quote Total Cost
☐ Bid
☐ Estimate

Revenue (if any) Net Cost

Will there be additional costs in future years to complete this project?

select one: ☐ Yes If yes, amount?
☒ No

Finance Dept: Account Sent to Dept: ☐

Action:

Modern Rentals, Inc

456 N Douglas Street
Ripon, WI 54971

www.modernrentals.com

920-748-3100 Phone
920-748-1433 Fax

Status: Quote

Quote #: q4818

Quote To: Thu 10/ 2/2025 9:00AM

Operator: THAYER, DANIEL

Customer #: 2

QUOTE CUSTOMER

Used at Address

Qty	Key	Items	Part#	Status	Quote Date	Price
1	MS	12' POWER PUSHER PRO, HYDRAULIC-42"		Retail		\$23,561.00
		12'X 42" HEIGHT				
1	MS	ISO 23727 COUPLER		Retail		\$0.00
1	MS	UNIVERSAL PUSHER HARNESS KIT		Retail		\$0.00
1	MS	HYDRAULIC COUPLER KIT, 1 1/2"		Retail		\$0.00
		FLAT FACE				
1	MS	LOADER HOSE KIT, 10' LENGTH		Retail		\$0.00
1	SHIPPING	SHIPPING CHARGES		Retail		\$500.00

Quote Valid for 30 Days Unless Otherwise Noted.


Quote

Effective 2/1/23: 3% service fee for credit card transactions.

Sales:	\$24,061.00
Subtotal:	\$24,061.00
Total:	\$24,061.00
Paid:	\$0.00
Amount Due:	\$24,061.00

Signature: _____

QUOTE CUSTOMER



METAL PLESS AGRIMAXX AGH 1042-17 HD

DESCRIPTION

The AgriMaxx AGH 1042-17 HD has a 10' center moldboard, two 3.5' wings, and a height of 42" tall. The HD Edge has a soft trip feature to prevent the plow from jumping when the edge trips. This edge will not contour to the surface like the Live Edge version will. The undercarriage mount is included with the plow.

REQUIRED UPGRADES

A DVDE (electric diverter valve) is required UNLESS your tractor has 4 remotes to control all plow functions.

WIRING HARNESS

If you have selected a DVDE for your setup, you will receive a 4 pin full harness with a joystick controller to operate the plow.

RECOMMENDED UPGRADES

We highly recommend the tire saver and nitrogen accumulator upgrade for all AgriMaxx plows.

MANUAL

[Click here for the AgriMaxx Manual](#)

WARRANTY

Metal Pless warranties all plows for 1 year from date of purchase. This is a parts-only warranty that is backed and supported by Storm Equipment in the USA Marketplace. Please read the factory manual for further details.

DVDE (ELECTRIC DIVERTER VALVE)

N/A	12V 24GPM (+\$2075)	24V 24GPM (+\$2075)
-----	---------------------	---------------------


TIRE SAVER AND NITROGEN ACCUMULATOR

N/A	ADD TIRE SAVER AND NITROGEN ACCUMULATOR (+\$945)
-----	--

Share


METAL PLESS AGRIMAXX

The Metal Pless AgriMaxx snow pusher is designed to mount to an AG tractor. It has hydraulic wings and three options for the cutting edge, LiveEdge, Standard Edge, or HD edge. This plow has a wide range of applications. On the lower end, this plow is perfect for small areas that require maneuverability. On the other end of this spectrum, the large AgriMaxx snow plows are great for large open areas as well. Storm Equipment is a Metal Pless dealer for the entire USA market and we offer full sales, service, parts, and support.



Metal Pless AgriMaxx AGH 1042-17 HD

From \$32,070.00



Metal Pless AgriMaxx AGH 1242-19 HD

From \$32,995.00

Jeremy Walvoord

From: Eric Mattson | General Manager <eric.mattson@kageinnovation.com>
Sent: Tuesday, September 9, 2025 6:36 AM
To: Jeremy Walvoord
Cc: Kyle Melin | Account Executive
Subject: RE: External: Kage Chat
Attachments: SnowDozer Wing2 - Low Rez.pdf

Good morning Jeremy,

Yes, our Wings are designed to back drag – Our goal is at KAGE is to maximize operational efficiency for the end-user.

For a quick reference and without sending you an official PDF quote, See below for the 1018.

BPS1018 – 10ft Center, 4ft Wings – QA (Quick Attach's are the same price unless it's custom) JRB-416 with Carbide Advantage.

I added in a 10% discount which gives you a subtotal of \$33,210 the grand total includes freight which is *estimated* around \$750.

I attached a spec sheet in-case you need that as well.

Part ID	Part Revision	Part Price	Quantity	Line Total	Discount %	Discounted Line Total	Freight
BPS1018 SnowDozer Wing 10' Center w/ 4' Wings and QA JRB_416-AE-C BPS1018 SnowDozer Wing 10' Center/4' Wings, QA & C							
Sub Total	33210.00	36900.00	1	36900.00	10	33210.00	0
Grand Total	33948.00						
Add Quote Line Add Custom Quote Line Save							

Let me know if you need anything else,

Thank you!

\$33,960.00

SNOWDOZER WING

SNOW PLOW WITH WINGS

KAGE




FAR BEYOND "WINGING IT"

With the SnowDozer Wing, your snow removal options on sizeable machines are limitless. Rich with self leveling, float and breakaway safety features, this is a large wing plow with a short learning curve and minimal maintenance.

Top that with its attention to detail, and you'll find it produces the best scrape without spillage, leakage, skimming or skipping.


30k-50k lb Loaders (Floating Quick Attach)
300+ HP Tractors (Cat II 3-pt Hitch)

KEY FEATURES




Simultaneous Wings

The simple 3-button control allows the operator to move the wings simultaneously or individually.




Tight Fitting Hinges

Tight-fitting hinges and rubber flaps prevent snow from leaking between the moldboard and wing to limit cleanup.




Floating Skids

With 6-7" of oscillating vertical travel, the floating skids enable quick leveling, ride over curbs and wear evenly.




Angle Plow

Equipped with 34-degree power angling to easily direct snow to the side for windrow-ing and more.




Trip Wing Edge

Each wing has a trip edge that trips back 55 degrees to clear curbs and other obstacles.



Crossover Relief

Both wings and moldboard are protected by hydraulic crossover relief preset at 1700 and 2500 PSI respectively



Infinitely Adjustable

Both wings are adjustable up to 180 degrees with no pre-set stopping points, providing a wide range of mobility.



Double Acting Cylinders

These cylinders are easy to obtain and easy to repair.

